Storage & Handling Pfizer

I-VAC
ILLINOIS VACCINATES AGAINST COVID-19

Age Indications	6 months through 4 years	5 years through 11 years	12 years and older
Formulation	Primary Series	Primary Series and Booster Dose	Primary Series and Booster Dose
Vial Cap Color/Label with Color Border	MAROON	ORANGE	GRAY
Preparation	Dilute Before Use	Dilute Before Use	**Do Not Dilute**
Amount of Diluent Needed per Vial[a]	2.2 mL	1.3 mL	
Dose Volume/Dose	0.2 mL/3 mcg	0.2 mL/10 mcg	0.3 mL/30 mcg
Doses per Vial	10 (after dilution)	10 (after dilution)	6
ULT Freezer (-90°C to -60°C) [b]	12 months	12 months	12 months
Freezer (-25°C to -15°C)	DO NOT STORE	DO NOT STORE	DO NOT STORE
Refrigerator (2°C to 8°C)	10 weeks	10 weeks	10 weeks
Room Temperature (8°C to 25°C) *including any thaw time*	12 hours prior to first puncture	12 hours prior to first puncture	12 hours prior to first puncture
After First Puncture (2°C to 25°C)	Discard after 12 hours	Discard after 12 hours	Discard after 12 hours

[a] Diluent: Sterile 0.9% Sodium Chloride Injection, USP. Do not use bacteriostatic 0.9% Sodium Chloride Injection or any other diluent.
[b] Regardless of storage condition, vaccines should not be used after 12 months from the date of manufacture printed on the vial and cartons.