

Rahm Emanuel, Mayor

January 19, 2018

Julie Morita, MD, Commissioner

## **News & Updates**

Compared to the previous surveillance week, there was a slight decrease in the number of influenza-associated ICU hospitalizations reported as well as in the percentage of specimens testing positive for influenza. However, there are several more months remaining in the influenza season and it is too early to be certain if peak activity has been reached. Vaccination is the best way to protect against influenza infection and all Chicagoans aged six months and older are encouraged to get vaccinated. Chicagoans should ask their healthcare provider or pharmacist about vaccine availability. For those without a healthcare provider or whose healthcare providers do not have the influenza vaccine, a list of City of Chicago Fast-Track Immunization Clinics<sup>1</sup> is available on the City website and by calling 311. To locate the closest City of Chicago clinic or retail pharmacy, visit www.chicagoflushots.org.

#### What is the risk?

Currently, the risk of influenza infection is high.

# Are severe cases of influenza occurring?

For the week of January 7-13, 2018, 38 influenzaassociated ICU hospitalizations were reported (Figure 1).

Since October 1, 2017, 203 influenza-associated ICU hospitalizations have been reported; 191 were positive for influenza A (60 H3N2, 9 H1N1, and 122 unknown subtype [subtyping not attempted or not all subtypes tested]) and 12 were positive for influenza B. The median age of reported cases is 64 years (range of 5 days-102 years); selected attributes are summarized in Table 1.

Table 1. Selected attributes of influenza-associated intensive care unit hospitalizations reported for Chicago residents during the 2017-2018 season, October-May.


to the state of th					
Age Group	#	% <sup>*</sup>	Sex	#	%
0-4	14	7	Male	84	41
5-17	10	5	Female	119	59
18-24	8	4	Med. Cond./Complication <sup>†</sup>		
25-49	22	11	Lung Disease	60	30
50-64	53	26	Cardiac Disease	54	27
≥65	96	47	Diabetes	50	25
Race/Ethnicity			Ventilator Support	61	30
NH-White	60	30	Reported Deaths	12	6
NH-Black	104	51	Treatment/Vaccination <sup>†</sup>		
Hispanic	35	17	Reported Antiviral Tx	141	70
Asian	4	2	Reported Flu Shot	59	29
* D					

<sup>\*</sup> Percentages may not add up to 100 due to rounding; † As reported in INEDSS (Illinois National Electronic Disease Surveillance System).

## Which influenza strains are circulating?

Data on influenza virus test results are reported by Chicago laboratories performing influenza RT-PCR. For the week of January 7-13, 2018, with 6 laboratories reporting, 404 of the 1,698 (23.8%) specimens tested for influenza were positive [109 A (H3N2), 15 A (H1N1)pdm09, 255 A unknown subtype and 25 influenza B] (Figure 2). Since October 1, 2017, 1,114 of 10,282 (10.8) specimens tested for

Figure 1. Number of influenza-associated ICU hospitalizations reported for Chicago residents, for the current season (2017-2018)







Figure 2. Percent of specimens testing positive (by RT-PCR) for influenza by subtype as reported by local laboratories serving



influenza have been positive; 1,054 typed as influenza A (375 H3N2, 54 (H1N1)pdm09, 625 unknown subtype [subtyping not performed or not all subtypes tested]) and 60 typed as influenza B.

#### How much influenza-like illness is occurring?


CDPH receives data from several hospitals in Chicago that provide emergent care, which report on a weekly basis the total number of emergency department visits, and of those visits, the number with influenza-like illness (fever of 100°F or greater and cough and/or sore throat). For the week of January 7-13, 2018, with seven hospitals reporting, 5.6% of emergency department visits were due to ILI (Figure 3).

In addition to emergency departments, several outpatient clinics throughout Chicago participate in CDC's Influenza-like Illness Surveillance Network (ILINet) by also reporting on a weekly basis the total number of outpatient clinic visits, and of those visits, the number with influenza-like illness (ILI). For the week of January 7-13, 2018, with 22 facilities 10 reporting, 3.6% of outpatient clinic visits were due to influenza-like illness (Figure 4).

**ESSENCE** is an electronic syndromic surveillance system used to monitor influenza-like illness by utilizing the chief complaints of patients visiting emergency departments. Currently, all Chicago hospitals submit data to ESSENCE on a daily basis, covering every emergency department visit in the city. For the week of January 7-13, 2018, 1,783 of the 28.722 (6.2%) total emergency department visits were due to influenza-like illness (ILI); children less than five years of age had the highest percentage of visits due to ILI at 16.0%

Figure 5 represents the percentage of emergency department visits due to influenza-like illness aggregated by patient zip code. For the week of January 7-13, 2018, 52 of 59 (88%) zip codes had ILI activity levels in the moderate to high categories and 7 (12%) had ILI activity levels in the minimal to low categories; the median percent ILI was 5.9% with a range from <1% to 9.5% (Figure 6).

Figure 6. Percent of zip codes with minimal/low and moderate/high ILI activity levels and overall median ILI, Chicago, by week, for the current season (2017-2018),



#### Where can I get more information?

The Centers for Disease Control and Prevention's FluView<sup>2</sup> report provides national updates and trends related to the intensity of influenza activity across the United States, as well as detailed information on antiviral resistance, severity of illness, and other topics. Updates specific to Illinois<sup>3</sup> and Suburban Cook County<sup>4</sup> are also available online. Current and archived issues of the Chicago Flu Update can be found on the CDPH website section Current Flu Situation in Chicago<sup>5</sup>.

#### Reporting Information

The Illinois Department of Public Health (IDPH) has issued influenza testing and reporting recommendations<sup>6</sup> healthcare facilities can report cases to the Chicago Department of Public Health via the Illinois National Electronic Disease Surveillance System (INEDSS)<sup>7</sup>

All data are preliminary and may change as more reports are received.

Figure 3. Percent of emergency department visits attributed to influenza-like illness based on manual reports by individual hospitals, Chicago, by week, for the current season (2017-2018) and previous three seasons, October-May.




Figure 4. Percent of medically-attended outpatient visits attributed to influenza-like illness as reported by ILINet facilities, Chicago, by week, for the current season (2017-2018) and previous three seasons, October-May.





Figure 5. Influenza-like Illness (ILI) activity level by patient zip code determined by chief complaint data submitted to ESSENCE, Chicago, for week of January 7-13, 2018 (Week 2)



2 http://www.cdc.gov/flu/weekly/index.htm;3 http://dph.illinois.gov/topics-services/diseases-and-conditions/influenza/surveillance;4 http://cookcountypublichealth.org/data-reports Page 2 of 2 communicable-diseases; https://www.cityofchicago.org/city/en/depts/cdph/supp\_info/health-protection/current\_flu\_situationinchicago2011.html;