# What is an opioid overdose?

Opioids can cause bad reactions that make your breathing slow or even stop. Overdose can lead to death.



# To avoid an accidental opioid overdose:



Try not to mix your opioids with alcohol, benzodiazepines (Xanax, Ativan, Klonopin, Valium), or medicines that make you sleepy.



Double check if you miss or change doses, feel ill, or start new medications.

# Now that you have Naloxone...

TELL SOMEONE WHERE IT IS AND HOW TO USE IT.

#### **COMMON OPIOIDS INCLUDE:**

GENERIC BRAND NAME

**Hydrocodone** Vicodin, Lorcet, Lortab,

Norco, Zohydro

Oxycodone Percocet, OxyContin,

Roxicodone, Percodan

Morphine MSContin, Kadian,

Embeda, Avinza

Codeine Tylenol with Codeine,

TyCo, Tylenol #3

Fentanyl Duragesic, Actiq

Hydromorphone Dilaudid

Oxymorphone Opana

Meperidine Demerol

Methadone Dolophine, Methadose

Buprenorphine Suboxone, Subutex,

Zubsolv, Bunavail, Butrans

\*Heroin is also an opioid.

## **GETTING RID OF UNUSED OPIOIDS:**

If you have any opioids in your home, be sure they are kept in a safe place, out of reach of children and in a locked cabinet if possible.

If you have unused opioid pain medication that you no longer need, you can safely dispose of them at the locations listed at www.overcomeopioids.org. You are able to anonymously dispose of unused medication at these locations.

FOR MORE INFORMATION & ADDITIONAL RESOURCES, VISIT

OVERCOMEOPIOIDS.ORG



# OPIOISE ON ALOXONE COPIOID SAFETY



A GUIDE FOR PATIENTS & CAREGIVERS

#### In Case of Overdose:

#### **How To Give Naloxone:**

There are 3 common naloxone products.
Follow the instructions for the type you have.

## CHECK RESPONSIVENESS LOOK FOR ANY OF THE FOLLOWING:



No response even if you shake them or say their name



**Breathing slows or stops** 



Lips and fingernails turn blue or gray



Skin gets pale or clammy

2 CALL 911 & GIVE NALOXONE

IF NO REACTION IN 3 MINUTES,

GIVE SECOND NALOXONE DOSE

O RESCUE BREATHING
AND/OR CHEST
COMPRESSIONS

**FOLIOW 911 DISPATCHER INSTRUCTIONS** 


STAY WITH PERSON UNTIL HELP ARRIVES.



### **Nasal Spray**


This nasal spray needs no assembly and can be sprayed up one nostril by pushing the plunger.





## Injectable Naloxone







Inject 1 ml of naloxone into an upper arm or thigh muscle.




If no reaction in 3 minutes, give second dose.

#### **How To Get Naloxone:**

#### **Auto-Injector**

The naloxone auto-injector needs no assembly and can be injected into the outer thigh, even through clothing. It contains a speaker that provides step-by-step instructions.



Ask your healthcare provider for a prescription for naloxone.

Ask your local pharmacist for naloxone without a prescription (pharmacists who have completed training can dispense naloxone without a prescription). The pharmacist can run the medication through your insurance carrier and let you know if there is a cost.

Find a nearby Chicago Recovery Alliance (CRA) location where you can be trained and receive an injectable naloxone kit for free! For a list of locations and times visit www.anypositivechange.org